

Mario D'Hondt

LCD Projector
Epson
EMP-TW700


Notes:

Before Calibration

After Calibration

Chromacity Coordinates

Chromacity Coordinates




IRE	X	Y	LUM	dE
30	.2687	.2550	.7903	68.7437
40	.2690	.2588	1.7602	65.2818
50	.2710	.2647	3.1658	59.6166
60	.2743	.2706	5.1385	53.7054
70	.2798	.2793	7.6644	45.0235
80	.2833	.2877	10.9568	37.5615
90	.2882	.2948	14.4865	30.7916
100	.2939	.3069	19.0676	20.7460

IRE	X	Y	LUM	dE
30	.3168	.3293	.3828	3.7275
40	.3139	.3280	.8584	1.6906
50	.3130	.3313	1.5828	1.8581
60	.3127	.3296	2.6203	.4528
70	.3144	.3298	3.8365	1.3937
80	.3140	.3298	5.2794	1.1387
90	.3135	.3277	6.7815	1.5134
100	.3148	.3282	8.5700	2.2858

Before Calibration


Temperature Tracking



IRE	TEMP
30	16.489
40	15.459
50	13.828
60	12.368
70	10.701
80	9.735
90	8.912
100	8.045

After Calibration


Temperature Tracking



IRE	TEMP
30	6.280
40	6.444
50	6.469
60	6.498
70	6.409
80	6.425
90	6.471
100	6.395

Before Calibration


Color Tracking



IRE	R	G	B
30	1.0573	1.0725	.5466
40	1.0852	1.0590	.5608
50	1.1036	1.0455	.5856
60	1.1006	1.0378	.6133
70	1.0848	1.0302	.6578
80	1.0979	1.0169	.7007
90	1.0793	1.0132	.7430
100	1.0891	.9984	.8166

After Calibration

Color Tracking



IRE	R	G	B
30	.9569	1.0121	1.0148
40	.9800	1.0065	.9966
50	1.0108	.9952	1.0170
60	1.0032	.9987	1.0038
70	.9867	1.0029	1.0108
80	.9899	1.0021	1.0095
90	.9836	1.0056	.9936
100	.9721	1.0085	1.0010

Calibrated By:

Beter Beeld & Geluid
Havenstraat 71
Hilversum

