




PHP Version 5.4.35

System	Linux web16.provider.nl #1 SMP Mon Sep 29 16:27:54 CEST 2014 x86_64
Build Date	Dec 1 2014 22:06:48
Configure Command	'./configure' '--with-apxs2' '--with-curl=/usr/local/lib' '--with-gd' '--with-ttf' '--with-gettext' '--with-jpeg-dir=/usr/local/lib' '--with-freetype-dir=/usr/local/lib' '--with-kerberos' '--with-openssl' '--with-mcrypt' '--with-mhash' '--with-mysql=/usr' '--with-mysqli=/usr/bin/mysql_config' '--with-pdo-mysql=/usr' '--with-pcre-regex=/usr/local' '--with-pear' '--with-png-dir=/usr/local/lib' '--with-xsl' '--with-zlib' '--with-zlib-dir=/usr/local/lib' '--with-iconv=/usr/local' '--enable-bcmath' '--enable-calendar' '--enable-exif' '--enable-ftp' '--enable-gd-native-ttf' '--enable-magic-quotes' '--enable-safe-mode' '--enable-sockets' '--enable-mbstring' '--enable-soap' '--enable-zip' '--enable-wddx'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/usr/local/lib
Loaded Configuration File	/usr/local/lib/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls

Registered Stream Filters	zlib.*, convert.iconv.*, mdecrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk
----------------------------------	--



Powered By

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.4.0, Copyright (c) 1998-2014 Zend Technologies
 with the ionCube PHP Loader v4.2.2, Copyright (c) 2002-2012, by ionCube Ltd., and
 with Zend Guard Loader v3.3, Copyright (c) 1998-2013, by Zend Technologies

PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35
Apache API Version	20051115
Server Administrator	webmaster@website.nl
Hostname:Port	www.website.nl:0
User/Group	apache(498)/500
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 1
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_reqtimeout mod_include mod_filter mod_deflate mod_log_config mod_logio mod_env mod_expires mod_headers mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_proxy_ajp mod_proxy_balancer mod_ssl prefork http_core mod_mime mod_dav mod_status mod_autoindex mod_asis mod_suexec mod_cgi mod_dav_fs mod_dav_lock mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_ruid2 mod_security2 mod_rpaf-2 mod_hostinglimits

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	VJurtAU9-H0ADFztbBkAAAAJ
HTTP_HOST	www.website.nl
HTTP_CONNECTION	keep-alive
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/37.0.2062.120 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	nl-NL,nl;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	PHPSESSID=fgebl7m6clf4ocvrg440sqqb60; __utma=236784925.37571723.1415602081.1417009304.1417549104.3; __utmc=236784925; __utmz=236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); wordpress_test_cookie=WP+Cookie+check; _ga=GA1.2.37571723.1415602081; wp-settings-time-4=1418164019; roundcube_sessid=908vb7q2bsd77gkifnd477uno5; roundcube_sessauth=Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f; session=1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35 Server at www.website.nl Port 80</address>
SERVER_SOFTWARE	Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35
SERVER_NAME	www.website.nl
SERVER_ADDR	<ip-adress>
SERVER_PORT	80
REMOTE_ADDR	remote <ip-adress>
DOCUMENT_ROOT	/home/hostingname/domains/website.nl/public_html
SERVER_ADMIN	webmaster@website.nl
SCRIPT_FILENAME	/home/hostingname/domains/website.nl/public_html/test.php
REMOTE_PORT	63281
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/test.php
SCRIPT_NAME	/test.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /test.php HTTP/1.1
Host	www.website.nl
Connection	keep-alive
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
User-Agent	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko)

	Chrome/37.0.2062.120 Safari/537.36
Accept-Encoding	gzip, deflate, sdch
Accept-Language	nl-NL;nl;q=0.8,en-US;q=0.6,en;q=0.4
Cookie	PHPSESSID=fgebl7m6clf4ocvrg440sqqb60; __utma=236784925.37571723.1415602081.1417009304.1417549104.3; __utmc=236784925; __utmz=236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); wordpress_test_cookie=WP+Cookie+check; _ga=GA1.2.37571723.1415602081; wp-settings-time-4=1418164019; roundcube_sessid=908vb7q2bsd77gkifnd477uno5; roundcube_sessauth=Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f; session=1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
HTTP Response Headers	
X-Powered-By	PHP/5.4.35

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

calendar

Calendar support	enabled
-------------------------	---------

Core

PHP Version	5.4.35
--------------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>

e		
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mime_type	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	show_source, system, shell_exec, passthru, exec, popen, allow_url_fopen, perl, system	show_source, system, shell_exec, passthru, exec, popen, allow_url_fopen, perl, system
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	24575	24575
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20100525	/usr/local/lib/php/extensions/no-debug-non-zts-20100525
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/lib/php	./usr/local/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On

mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	512M	512M
open_basedir	no value	no value
output_buffering	4096	4096
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
sendmail_from	no value	no value
sendmail_path	/usr/sbin/sendmail -t -i -f hostingname@website.nl	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	no value	no value
upload_max_file_size	32M	32M
upload_tmp_dir	no value	no value
user_dir	no value	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0

mber		
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
------------------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.16.1 Basic ECC
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	2014.8

Timezone Database	internal
Default timezone	Europe/Amsterdam

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Amsterdam	Europe/Amsterdam

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 637ebf9289b40d157fdf8edcdddeb3d907b28d9b \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: ad78b4a085153b8c7f4d6db5dc69df40e969c343 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.5.3
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.50
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagemagick

imagemagick module	enabled
imagemagick module version	3.1.2
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.5.4-7 2012-12-14 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2009 ImageMagick Studio LLC
ImageMagick release date	2012-12-14
ImageMagick number of supported formats:	198
ImageMagick supported formats	A, AI, ART, ARW, AVI, AVS, B, BGR, BMP, BMP2, BMP3, BRF, BRG, C, CALS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPS, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, HALD, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG,

	RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV
--	--

Directive	Local Value	Master Value
imagemick.locale_fix	0	0
imagemick.progress_monitor	0	0

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>

mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.40
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>

mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysql

Mysql Support	enabled
Client API library version	5.5.40
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.40
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_pw	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.20 2011-10-21

Directive	Local Value	Master Value
-----------	-------------	--------------

pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.40

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ec823514107160b7e6fabc519594012657a2db91 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On

phar.require_hash	On	On
-------------------	----	----

posix

Revision	\$Id: 1dfa9997ed76804e53c91e0ce862f3707617b6ed \$
----------	---

Reflection

Reflection	enabled
Version	\$Id: f6367cdb4e3f392af4a6d441a6641de87c2e50c4 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On

d		
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: 16070fc92ad6f69cebb2d52ad3f02794f833ce39 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator,

	RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException
--	---

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
sqlite3.extension_dir	<i>no value</i>	<i>no value</i>

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i -f hostingname@website.nl

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
--------------	---------

WDDX Session Serializer	enabled
-------------------------	---------

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.28

Zend Guard Loader

Zend Guard Loader	enabled
License Path	<i>no value</i>
Obfuscation level	0

zip

Zip	enabled
Extension Version	\$Id: abc21c7f1559e732dba6db94c69ecf638ae5fa3f \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader

Environment

Variable	Value
LANG	C
PATH	/usr/local/bin:/usr/bin:/bin
LC_MESSAGES	en_US

PHP Variables

Variable	Value
_COOKIE["PHPSESSID"]	fgebl7m6clf4ocvrg440sqqb60
_COOKIE["__utma"]	236784925.37571723.1415602081.1417009304.1417549104.3
_COOKIE["__utmc"]	236784925
_COOKIE["__utmz"]	236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none)
_COOKIE["wordpress_test_cookie"]	WP Cookie check
_COOKIE["_ga"]	GA1.2.37571723.1415602081
_COOKIE["wp-settings-time-4"]	1418164019
_COOKIE["roundcube_sessid"]	908vb7q2bsd77gkifnd477uno5
_COOKIE["roundcube_sessauth"]	Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f
_COOKIE["session"]	1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
_SERVER["UNIQUE_ID"]	VJurtAU9-H0ADFztbBkAAAAJ
_SERVER["HTTP_HOST"]	www.website.nl
_SERVER["HTTP_CONNECTION"]	keep-alive

_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/37.0.2062.120 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	nl-NL,nl;q=0.8,en-US;q=0.6,en;q=0.4
_SERVER["HTTP_COOKIE"]	PHPSESSID=fgebl7m6clf4ocvrg440sqqb60; __utma=236784925.37571723.1415602081.1417009304.1417549104.3; __utmc=236784925; __utmz=236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); wordpress_test_cookie=WP+Cookie+check; _ga=GA1.2.37571723.1415602081; wp-settings-time-4=1418164019; roundcube_sessid=908vb7q2bsd77gkifnd477uno5; roundcube_sessauth=Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f; session=1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35 Server at www.website.nl Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35
_SERVER["SERVER_NAME"]	www.website.nl
_SERVER["SERVER_ADDR"]	<ip-adress>
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	remote <ip-adress>
_SERVER["DOCUMENT_ROOT"]	/home/hostingname/domains/website.nl/public_html
_SERVER["SERVER_ADMIN"]	webmaster@website.nl
_SERVER["SCRIPT_FILENAME"]	/home/hostingname/domains/website.nl/public_html/test.php
_SERVER["REMOTE_PORT"]	63281
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/test.php
_SERVER["SCRIPT_NAME"]	/test.php
_SERVER["PHP_SELF"]	/test.php
_SERVER["REQUEST_TIME_FLOAT"]	1419488180.165
_SERVER["REQUEST_TIME"]	1419488180
_ENV["LANG"]	C
_ENV["PATH"]	/usr/local/bin:/usr/bin:/bin
_ENV["LC_MESSAGES"]	en_US

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as

published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

apache2handler

Apache Version	Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35
Apache API Version	20051115
Server Administrator	webmaster@website.nl
Hostname:Port	www.website.nl:0
User/Group	apache(498)/500
Max Requests	Per Child: 10000 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 1
Virtual Server	Yes
Server Root	/etc/httpd
Loaded Modules	core mod_authn_file mod_authn_default mod_authz_host mod_authz_groupfile mod_authz_user mod_authz_default mod_auth_basic mod_reqtimeout mod_include mod_filter mod_deflate mod_log_config mod_logio mod_env mod_expires mod_headers mod_unique_id mod_setenvif mod_version mod_proxy mod_proxy_connect mod_proxy_ftp mod_proxy_http mod_proxy_scgi mod_proxy_ajp mod_proxy_balancer mod_ssl prefork http_core mod_mime mod_dav mod_status mod_autoindex mod_asis mod_suexec mod_cgi mod_dav_fs mod_dav_lock mod_negotiation mod_dir mod_actions mod_userdir mod_alias mod_rewrite mod_so mod_php5 mod_ruid2 mod_security2 mod_rpaf-2 mod_hostinglimits

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
UNIQUE_ID	VJurtAU9-H0ADFztbBkAAAAJ
HTTP_HOST	www.website.nl
HTTP_CONNECTION	keep-alive
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/37.0.2062.120 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANGUAGE	nl-NL,nl;q=0.8,en-US;q=0.6,en;q=0.4

HTTP_COOKIE	PHPSESSID=fgebl7m6clf4ocvrg440sqqb60; __utma=236784925.37571723.1415602081.1417009304.1417549104.3; __utmc=236784925; __utmz=236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); wordpress_test_cookie=WP+Cookie+check; _ga=GA1.2.37571723.1415602081; wp-settings-time-4=1418164019; roundcube_sessid=908vb7q2bsd77gkifnd477uno5; roundcube_sessauth=Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f; session=1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35 Server at www.website.nl Port 80</address>
SERVER_SOFTWARE	Apache/2.2.29 (Unix) mod_ssl/2.2.29 OpenSSL/1.0.1e-fips DAV/2 PHP/5.4.35
SERVER_NAME	www.website.nl
SERVER_ADDR	<ip-adress>
SERVER_PORT	80
REMOTE_ADDR	remote <ip-adress>
DOCUMENT_ROOT	/home/hostingname/domains/website.nl/public_html
SERVER_ADMIN	webmaster@website.nl
SCRIPT_FILENAME	/home/hostingname/domains/website.nl/public_html/test.php
REMOTE_PORT	63281
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	<i>no value</i>
REQUEST_URI	/test.php
SCRIPT_NAME	/test.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /test.php HTTP/1.1
Host	www.website.nl
Connection	keep-alive
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
User-Agent	Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/37.0.2062.120 Safari/537.36
Accept-Encoding	gzip, deflate, sdch
Accept-Language	nl-NL,nl;q=0.8,en-US;q=0.6,en;q=0.4
Cookie	PHPSESSID=fgebl7m6clf4ocvrg440sqqb60; __utma=236784925.37571723.1415602081.1417009304.1417549104.3; __utmc=236784925; __utmz=236784925.1415602081.1.1.utmcsr=(direct) utmccn=(direct) utmcmd=(none); wordpress_test_cookie=WP+Cookie+check; _ga=GA1.2.37571723.1415602081; wp-settings-time-4=1418164019; roundcube_sessid=908vb7q2bsd77gkifnd477uno5; roundcube_sessauth=Sea8dcd5437c99e72fbd9c6fcb982c8594fb5812f; session=1JtQL4C0q0C3uaKCQXPYwmlSuJhEuL9tc0Hy4TwsR8vMiEW7jt3GgLiYcNmUhtNJ
HTTP Response Headers	

X-Powered-By	PHP/5.4.35
Vary	Accept-Encoding
Content-Encoding	gzip

bcmath

BCMath support	enabled
-----------------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

calendar

Calendar support	enabled
-------------------------	---------

Core

PHP Version	5.4.35
--------------------	--------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	show_source, system, shell_exec, passthru, exec, popen, allow_url_fopen, perl, system	show_source, system, shell_exec, passthru, exec, popen, allow_url_fopen, perl, system
display_errors	Off	Off

display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	24575	24575
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/local/lib/php/extensions/no-debug-non-zts-20100525	/usr/local/lib/php/extensions/no-debug-non-zts-20100525
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/local/lib/php	./usr/local/lib/php
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60

max_input_vars	1000	1000
memory_limit	512M	512M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i -f hostingname@website.nl	/usr/sbin/sendmail -t -i
serialize_precision	17	17
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	32M	32M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	tftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.16.1 Basic ECC
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	2014.8
Timezone Database	internal
Default timezone	Europe/Amsterdam

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Amsterdam	Europe/Amsterdam

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 637ebf9289b40d157fdf8edcdddeb3d907b28d9b \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: ad78b4a085153b8c7f4d6db5dc69df40e969c343 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.5.3
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.50
WBMP Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

imagemagick

imagemagick module	enabled
imagemagick module version	3.1.2
imagemagick classes	ImageMagick, ImageMagickDraw, ImageMagickPixel, ImageMagickPixelIterator
ImageMagick version	ImageMagick 6.5.4-7 2012-12-14 Q16 http://www.imagemagick.org
ImageMagick copyright	Copyright (C) 1999-2009 ImageMagick Studio LLC
ImageMagick release date	2012-12-14
ImageMagick number of supported formats:	198
ImageMagick supported formats	A, AI, ART, ARW, AVI, AVS, B, BGR, BMP, BMP2, BMP3, BRF, BRG, C, CALS, CAPTION, CIN, CIP, CLIP, CMYK, CMYKA, CR2, CRW, CUR, CUT, DCM, DCR, DCX, DDS, DFONT, DNG, DOT, DPS, DPX, EPDF, EPI, EPS, EPS2, EPS3, EPSF, EPSI, EPT, EPT2, EPT3, ERF, FAX, FITS, FRACTAL, FTS, G, G3, GBR, GIF, GIF87, GRADIENT, GRAY, GRB, HALD, HISTOGRAM, HRZ, HTM, HTML, ICB, ICO, ICON, INFO, INLINE, IPL, ISOBRL, JNG, JP2, JPC, JPEG, JPG, JPX, K, K25, KDC, LABEL, M, M2V, M4V, MAP, MAT, MATTE, MIFF, MNG, MONO, MOV, MP4, MPC, MPEG, MPG, MRW, MSL, MSVG, MTV, MVG, NEF, NULL, O, ORF, OTB, OTF, PAL, PALM, PAM, PATTERN, PBM, PCD, PCDS, PCL, PCT, PCX, PDB, PDF, PDFA, PEF, PFA, PFB, PFM, PGM, PGX, PICON, PICT, PIX, PJPEG, PLASMA, PNG, PNG24, PNG32, PNG8, PNM, PPM, PREVIEW, PS, PS2, PS3, PSD, PTIF, PWP, R, RADIAL-GRADIENT, RAF, RAS, RBG, RGB, RGBA, RGBO, RLA, RLE, SCR, SCT, SFW, SGI, SHTML, SR2, SRF, STEGANO, SUN, SVG, SVGZ, TEXT, TGA, THUMBNAIL, TIFF, TIFF64, TILE, TIM, TTC, TTF, TXT, UBRL, UIL, UYVY, VDA, VICAR, VID, VIFF, VST, WBMP, WMF, WMV, WMZ, WPG, X, X3F, XBM, XC, XCF, XPM, XPS, XV, XWD, Y, YCbCr, YCbCrA, YUV

Directive	Local Value	Master Value
imagemagick.locale_fix	0	0
imagemagick.progress_monitor	0	0

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application/xhtml\+xml)	^(text/ application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8

Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.40
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
----------------	---------

Client API library version	5.5.40
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.40
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1e-fips 11 Feb 2013
OpenSSL Header Version	OpenSSL 1.0.1e-fips 11 Feb 2013

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.20 2011-10-21

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.40

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.7.7.1

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: ec823514107160b7e6fab519594012657a2db91 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	disabled (install pecl/bz2)
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
 Phar fully realized by Gregory Beaver and Marcus Boerger.
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

posix

Revision	\$Id: 1dfa9997ed76804e53c91e0ce862f3707617b6ed \$
----------	---

Reflection

Reflection	enabled
Version	\$Id: f6367cdb4e3f392af4a6d441a6641de87c2e50c4 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	<i>no value</i>	<i>no value</i>
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

Simplexml support	enabled
Revision	\$Id: 16070fc92ad6f69cebb2d52ad3f02794f833ce39 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7
SQLite Library	3.7.7.1

Directive	Local Value	Master Value
-----------	-------------	--------------

sqlite3.extension_dir	no value	no value
-----------------------	----------	----------

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i -f hostingname@website.nl

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.28
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.28

Zend Guard Loader

Zend Guard Loader	enabled
License Path	<i>no value</i>
Obfuscation level	0

zip

Zip	enabled
Extension Version	\$Id: abc21c7f1559e732dba6db94c69ecf638ae5fa3f \$
Zip version	1.11.0
Libzip version	0.10.1

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
ionCube Loader